


Flat screwdriver TBI

605TBI



Usage



Profiles






Product attributes



- blade: premium hard chrome vanadium steel, entirely hardened and tempered
- blade chrome plated, black anodised tip
- handle: ergonomic shape
- three component material
- hanging hole
- made according to standard DIN ISO 2380-1:2006 and DIN ISO 2380-2:2006
- made according to standard DIN 5264


Standards

DIN ISO 2380-1:2006 and DIN ISO 2380-2:2006



	axb	C	L	D	
612810	0.4 x 2.5	60	145	2.5	33
611687	0.4 x 2.5	75	160	2.5	34


	axb	C	L	D	
611688	0.5 x 3.0	80	165	3	35
612811	0.5 x 3.0	100	185	3	37
611689	0.5 x 3.0	125	210	3	37
612812	0.5 x 3.0	150	235	3	39
612813	0.6 x 3.5	75	160	3.5	37
611690	0.6 x 3.5	100	185	3.5	39
611691	0.6 x 3.5	125	210	3.5	40
611692	0.8 x 4.0	100	185	4	41
612814	0.8 x 4.0	125	210	4	44
611693	0.8 x 4.0	150	235	4	46
612815	0.8 x 4.0	200	285	4	53
612816	1.0 x 5.5	100	200	5	68
611694	1.0 x 5.5	125	225	5	70
611695	1.0 x 5.5	150	250	5	74
612817	1.2 x 6.5	100	210	6	93
612818	1.2 x 6.5	125	235	6	98
611696	1.2 x 6.5	150	260	6	103
611697	1.2 x 6.5	200	310	6	115
611698	1.2 x 8.0	175	295	7	143
612819	1.6 x 8.0	175	295	7	143
611699	1.6 x 10.0	200	320	8	173
611700	2.0 x 12.0	250	370	9	223



Retail packaging




	MA	MB	MC	
--	----	----	----	---

Barcode	MA	MB	MC	Icon
612810	200	44	32	40
611687	215	44	32	41
611688	220	44	32	42
612811	240	44	32	44
611689	265	44	32	44
612812	290	44	32	46
612813	220	44	32	44
611690	240	44	32	46
611691	270	44	32	47
611692	240	44	32	48
612814	270	44	32	51
611693	290	44	32	53
612815	340	44	32	60
612816	255	44	36,6	75
611694	275	44	36,6	77
611695	305	44	36,6	81
612817	270	44	39,7	100
612818	290	44	39,7	105
611696	310	44	39,7	110
611697	370	44	39,7	122
611698	350	44	42,7	150
612819	350	44	42,7	150
611699	380	44	42,7	180
611700	425	44	42,7	230



Transport packaging

Barcode	Icon	TA	TB	TC	Icon
612810	4	75	286	40	285

		TA	TB	TC	
611687	4	85	288	52	289
611688	4	75	286	40	293
612811	4	75	286	40	301
611689	4	85	288	52	301
612812	4	70	327	49	309
612813	4	75	286	40	301
611690	4	114	291	39	309
611691	4	75	286	40	313
611692	4	114	291	39	317
612814	4	114	291	39	329
611693	4	115	318	39	337
612815	4	60	408	60	365
612816	4	115	318	39	425
611694	4	115	318	39	433
611695	4	115	340	39	449
612817	4	114	291	39	525
612818	4	115	318	39	545
611696	4	115	340	39	565
611697	4	114	388	47	613
611698	4	114	388	47	725
612819	4	114	388	47	725
611699	4	114	388	47	845
611700	4	75	477	68	1045